

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: 4.10.2019 · Revision: 6.11.2019 · Version: 1

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

SpaBalancer FilterClean Classic



chemius.net/EfP66

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Cleaning agent.

Uses advised against

No information.

1.3. Details of the supplier of the safety data sheet

Manufacturer

SpaBalancer GmbH
Address: Gärtnerstr. 90, D-25469 Halstenbek,
Germany
Phone: ++49(0)4101 - 37 444 80
Fax: ++49(0)40-380 178 620 26
E-mail: info@spabalancer.com

1.4. Emergency telephone number

Emergency

112

Supplier

++49(0)4101 - 37 444 80

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Met. Corr. 1; H290 May be corrosive to metals.
Skin Corr. 1; H314 Causes severe skin burns and eye damage.
Eye Dam. 1; H318 Causes serious eye damage.

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: **4.10.2019** · Revision: **6.11.2019** · Version: **1**

2.2 Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]



Signal word: **Danger**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/national regulation.

2.2.2. Contains:

sulfuric acid (CAS: 7664-93-9, EC: 231-639-5, Index: 016-020-00-8)

Hydrochloric acid (CAS: 7647-01-0, EC: 231-595-7, Index: 017-002-01-x)

2.2.3. Special provisions

Special hazards are not known or expected.

2.3. Other hazards

Corrosive gases/vapors.

If swallowed or in the event of vomiting, risk of product entering the lungs.

The substances in the mixture are not classified as persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product description

SVHC: Contains zero or less than 0.1% of SVHC substance.

3.1. Substances

For mixtures see 3.2.

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: 4.10.2019 · Revision: 6.11.2019 · Version: 1

3.2. Mixtures

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	REACH Registration No.
sulfuric acid	7664-93-9 231-639-5 016-020-00-8	2,5-9	Met. Corr. 1; H290 Skin Corr. 1A; H314	Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	-
Hydrochloric acid [B]	7647-01-0 231-595-7 017-002-01-x	2,5-9	Met. Corr. 1; H290 Skin Corr. 1B; H314 STOT SE 3; H335	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	-
Isotridecanol, ethoxylated	69011-36-5 931-138-8 -	<2,5	Acute Tox. 4; H302 Eye Dam. 1; H318		-

Notes for substances:

B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: "nitric acid ... %".

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician.

Following inhalation

Remove patient to fresh air - move out of dangerous area. Obtain professional medical help!

Following skin contact

Take off all contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap. Immediately obtain professional medical help! Wash contaminated clothes and shoes before reuse.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. After initial flushing, remove any contact lenses and continue flushing. Protect the damaged eye. Consult a physician immediately!

Following ingestion

Rinse mouth and drink plenty of water (only if the person is conscious). Do not induce vomiting! Immediately consult a doctor. Show the physician the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Inhalation may result in irritation and burns to the respiratory tract.

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: **4.10.2019** · Revision: **6.11.2019** · Version: **1**

Skin contact

Skin burns: Signs/symptoms may include localised redness, swelling, itching, dryness, blistering.

Eye contact

Redness, pain, burning sensation, tearing, can cause permanent damage to the eyes.

Ingestion

If ingested, may cause burns of the mouth and throat, as well as perforation of the esophagus and stomach.

May cause abdominal discomfort.

May cause nausea/vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. After the product has been ingested vomiting can cause aspiration into the lungs.

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Dry powder.

Sand.

Carbon dioxide (CO₂).

Foam.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

hydrochloric acid.

Sulphuric oxides (SO_x). Toxic pyrolysis products.

5.3. Advice for firefighters

Protective actions

In case of fire or heating do not breathe fumes/vapours. No action shall be taken involving any personal risk or without suitable training. Cool containers at risk with water spray. If possible remove containers from endangered area.

Special protective equipment for firefighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

Contaminated firefighting water must be disposed of in accordance with the regulations; do not allow to reach the sewage system. Contaminated firefighting water and fire residues must be disposed of in accordance with the local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Emergency procedures

Ensure adequate ventilation. Prevent access to unprotected personnel. Avoid contact with skin, eyes and clothing. Do not breathe vapour or mist. Danger of slipping on spilled product.

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**
Creation date: **4.10.2019** · Revision: **6.11.2019** · Version: **1**

6.1.2. For emergency responders

Use personal protective equipment. High risk of slipping due to leakage/spillage of product.

6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. Dilute with plenty of water. In case of release into the environment, inform the relevant authorities.

6.3. Methods and material for containment and cleaning up

6.3.1. For containment

Stem the spill if this does not pose risks.

6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor.

6.3.3. Other information

See Section 7: safe handling.

6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation.

Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

7.1.2. Advice on general occupational hygiene

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Protect skin with protective cream before use. Avoid contact with skin, eyes and clothes. Do not breathe vapours/mist. Use only in well-ventilated areas. Wear suitable protective equipment; see Section 8. Remove contaminated clothes and wash them before reuse. Provide emergency showers and eyewash stations in the workplace. When diluting, always pour the product into water - never pour water into product.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Technical measures and storage conditions

Keep in tightly closed container. Keep in a cool, dry and well ventilated place. Protect from open fire, heat and direct sunlight. Keep away from oxidising substances. Do not store together with metals. Store away from alkaline substances. Keep away from food, drink and animal feeding stuffs.

7.2.2. Packaging materials

Store only in original container.

7.2.3. Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking. The floor of the storage room must be impermeable and chemicals resistant (base, acid).

7.2.4. Storage class

-

7.2.5. Further information on storage conditions

-

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: 4.10.2019 · Revision: 6.11.2019 · Version: 1

7.3. Specific end use(s)

Recommendations

See identified uses in Section 1.2.

Industrial sector specific solutions

-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Occupational exposure limit values

Name (CAS)	Limit values		Short-term exposure limit		Remarks	Biological Tolerance Values
	ml/m ³ (ppm)	mg/m ³	ml/m ³ (ppm)	mg/m ³		
Hydrogen chloride (gas and aerosol mists) (7647-01-0)	1	2	5	8		
Sulphuric acid (mist) (7664-93-9)		0,05			The mist is defined as the thoracic fraction	

8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

8.1.3. DNEL/DMEL values

No information.

8.1.4. PNEC values

No information.

8.2. Exposure controls

8.2.1. Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Handle in accordance with good industrial hygiene and safety practice. Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes. Do not breathe vapours/aerosols. The selection of personal protective equipment depends on the concentration of the dangerous substance and the specificity of the workplace. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards.

Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse. Keep eyewash bottles or personal eyewash units and emergency showers available. Measurement methods for performing chemical measurement procedures must be in accordance with EN 482.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration. Keep away from food, drink and animal feeding stuffs.

8.2.2. Personal protective equipment

Eye and face protection

Wear tight fitting protective goggles and/or face protection (EN 166).

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: **4.10.2019** · Revision: **6.11.2019** · Version: **1**

Hand protection

Protective gloves (EN 374). Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves immediately. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Appropriate materials

Material	Thickness	Penetration Time	Remark
chloroprene rubber	> 0,7 mm	> 480 min	
nitrile rubber	> 0,7 mm	> 480 min	
Butyl rubber	> 0,7 mm	> 480 min	
PVC	> 0,7 mm		

Skin protection

Wear suitable protective clothing. Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345). At higher exposures wear chemical-resistant clothing (EN 13034) and boots, natural rubber (EN 20345).

Respiratory protection

Not needed under normal use and adequate ventilation. In case of insufficient ventilation wear suitable respiratory protection. Apply a respiratory protection mask (EN 136:1998/AC:2004) with filter E (EN 14387:2004 + A1:2008). For dust/gas/ vapor concentrations above the applicable filter limit, in case of oxygen concentrations below 17% or in vague conditions, autonomous self-contained breathing apparatus should be used, according to standard EN 137, EN 138.

Thermal hazards

-

8.2.3. Environmental exposure controls

-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

-	Physical state:	liquid
-	Colour:	colourless
-	Odour:	characteristic

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: 4.10.2019 · Revision: 6.11.2019 · Version: 1

Important health, safety and environmental information

-	pH	< 2
-	Melting point/freezing point	No information.
-	Initial boiling point/boiling range	No information.
-	Flash point	No information.
-	Evaporation rate	No information.
-	Flammability (solid, gas)	No information.
-	Explosion limits (vol%)	No information.
-	Vapour pressure	No information.
-	Vapour density	No information.
-	Density	Density: 1,118 g/cm ³ at 20 °C
-	Solubility	Water: miscible
-	Partition coefficient	No information.
-	Auto-ignition temperature	No information.
-	Decomposition temperature	No information.
-	Viscosity	No information.
-	Explosive properties	Product is not self igniting.
-	Oxidising properties	Not oxidising.

9.2. Other information

-	Remarks:	
---	-----------------	--

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

May be corrosive to metals.

10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3. Possibility of hazardous reactions

Reacts with strong oxidising agents. Reactions with bases. Reacts with (some) metals: release of highly flammable gases/vapours (hydrogen).

10.4. Conditions to avoid

Avoid contact with incompatible materials.

10.5. Incompatible materials

Strong oxidising agents. Bases. Metals.

10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released. Corrosive gases/vapours.

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: 4.10.2019 · Revision: 6.11.2019 · Version: 1

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

(a) Acute toxicity

Name	Exposure route	Type	Species	Time	Value	Method	Remark
sulfuric acid (7664-93-9)	oral	LD ₅₀	rat		2140 mg/kg		
sulfuric acid (7664-93-9)	inhalation	LC ₅₀	rat	2 h	510 mg/m ³		
Hydrochloric acid (7647-01-0)	oral	LD ₅₀	rat		700 mg/kg bw	IUCLID	
Hydrochloric acid (7647-01-0)	dermal	LD ₅₀	rabbit		> 5010 mg/kg		
Isotridecanol, ethoxylated (69011-36-5)	oral	LD ₅₀	rat		300 – 2000 mg/kg		
Isotridecanol, ethoxylated (69011-36-5)	dermal	LD ₅₀	rat		> 2000 mg/kg		

Additional information: The product is not classified for acute toxicity.

(b) Skin corrosion/irritation

Additional information: Corrosive.

(c) Serious eye damage/irritation

Additional information: Causes serious eye damage.

(d) Respiratory or skin sensitisation

Additional information: The product is not classified as sensitising.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT-single exposure

Additional information: STOT SE (single exposure): Not classified.

(i) STOT-repeated exposure

Additional information: STOT RE (repeated exposure): Not classified.

(j) Aspiration hazard

Additional information: Aspiration hazard: Not classified.

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: 4.10.2019 · Revision: 6.11.2019 · Version: 1

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Acute (short-term) toxicity

For components

Substance (CAS Nr.)	Type	Value	Exposure time	Species	Organism	Method	Remark
sulfuric acid (7664-93-9)	LC ₅₀	> 500 mg/L	48 h		<i>Brachydanio rerio</i>		
	EC ₅₀	29 mg/L	24 h	crustacea	<i>Daphnia magna</i>		
	LC ₅₀	16 – 29 mg/L	96 h	fish	<i>Lepomis macrochirus</i>		
	LC ₀	134 mg/L	96 h	fish	<i>Carassius auratus</i>		
Hydrochloric acid (7647-01-0)	LC ₅₀	24,6 mg/L	96 h	fish	<i>Lepomis macrochirus</i>		
	EC ₅₀	0,78 mg/L	72 h	algae	<i>Pseudokirchneriella subcapitata</i>		
	EC ₅₀	0,492 mg/L	48 h	crustacea	<i>Daphnia magna</i>		
Isotridecanol, ethoxylated (69011-36-5)	LC ₅₀	1 – 10 mg/L	96 h	fish	<i>Cyprinus carpio</i>	OECD 203	
	EC ₅₀	1 – 10 mg/L	72 h	algae	<i>Desmodesmus subspicatus</i>	OECD 201	
	EC ₅₀	1 – 10 mg/L	48 h	crustacea	<i>Daphnia magna</i>	OECD 202	

12.1.2. Chronic (long-term) toxicity

No information.

12.2. Persistence and degradability

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

12.2.2. Biodegradation

No information.

12.3. Bioaccumulative potential

12.3.1. Partition coefficient

No information.

12.3.2. Bioconcentration factor (BCF)

No information.

12.4. Mobility in soil

12.4.1. Known or predicted distribution to environmental compartments

No information.

12.4.2. Surface tension

No information.

12.4.3. Adsorption/Desorption

No information.

12.5. Results of PBT and vPvB assessment

No evaluation.

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: **4.10.2019** · Revision: **6.11.2019** · Version: **1**

12.6. Other adverse effects

No information.

12.7. Additional information

For product

Do not allow to reach ground water, water courses or sewage system.

Due to the pH of the product, it must be neutralised prior to disposal.

Negative effects on aquatic environment are possible due to changes in pH-value.

A low pH-value harms aquatic organisms.

Contained surfactants are biodegradable in accordance with the Regulation (EC) 648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (self-assessment): slightly hazardous for water.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

13.1.1. Product / Packaging disposal

Waste chemical

Do not allow product to reach drains/sewage systems. Dispose of in accordance with applicable waste disposal regulation.

Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste.

Waste codes / waste designations according to LoW

20 01 14* - acids

20 01 29* - detergents containing dangerous substances

Packaging

Dispose of in accordance with applicable waste disposal regulation. Deliver completely emptied containers to approved waste disposal authorities. Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents. Cleaned uncontaminated packaging may be taken for recycling.

Waste codes / waste designations according to LoW

15 01 10* - packaging containing residues of or contaminated by dangerous substances

13.1.2. Waste treatment-relevant information

-

13.1.3. Sewage disposal-relevant information

-

13.1.4. Other disposal recommendations

-

SECTION 14. TRANSPORT INFORMATION

14.1. UN number

UN 3264

14.2. UN proper shipping name

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulfuric acid, Hydrochloric acid)

14.3. Transport hazard class(es)

8

14.4. Packing group

II



SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: **4.10.2019** · Revision: **6.11.2019** · Version: **1**

14.5. Environmental hazards

NO.

14.6. Special precautions for user

Limited quantities

1 L

Tunnel restriction code

(E)

IMDG EmS

F-A, S-B

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Goods may not be carried in bulk in bulk containers, containers or vehicles.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Not applicable.

15.1.2. Special instructions

Observe the regulations on employment and protection against dangerous substances for young people, pregnant women and nursing mothers.

15.1.3. Ingredients according to Regulation EC 648/2004 on detergents

< 5%: non-ionic surfactants

15.2. Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Indication of changes

-

Abbreviations and acronyms

ATE - Acute Toxicity Estimate

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CEN - European Committee for Standardisation

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level

DNEL - Derived No Effect Level

DPD - Dangerous Preparations Directive 1999/45/EC

DSD - Dangerous Substances Directive 67/548/EEC

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: **4.10.2019** · Revision: **6.11.2019** · Version: **1**

DU - Downstream User
EC - European Community
ECHA - European Chemicals Agency
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)
EEC - European Economic Community
EINECS - European Inventory of Existing Commercial Substances
ELINCS - European List of notified Chemical Substances
EN - European Standard
EQS - Environmental Quality Standard
EU - European Union
Euphrac - European Phrase Catalogue
EWC - European Waste Catalogue (replaced by LoW – see below)
GES - Generic Exposure Scenario
GHS - Globally Harmonized System
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
IMSBC - International Maritime Solid Bulk Cargoes
IT - Information Technology
IUCLID - International Uniform Chemical Information Database
IUPAC - International Union for Pure Applied Chemistry
JRC - Joint Research Centre
Kow - octanol-water partition coefficient
LC₅₀ - Lethal Concentration to 50 % of a test population
LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)
LE - Legal Entity
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)
LR - Lead Registrant
M/I - Manufacturer / Importer
MS - Member States
MSDS - Material Safety Data Sheet
OC - Operational Conditions
OECD - Organization for Economic Co-operation and Development
OEL - Occupational Exposure Limit
OJ - Official Journal
OR - Only Representative
OSHA - European Agency for Safety and Health at work
PBT - Persistent, Bioaccumulative and Toxic substance
PEC - Predicted Effect Concentration
PNEC(s) - Predicted No Effect Concentration(s)
PPE - Personal Protection Equipment
(Q)SAR - Qualitative Structure Activity Relationship
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
RIP - REACH Implementation Project
RMM - Risk Management Measure
SCBA - Self-Contained Breathing Apparatus
SDS - Safety data sheet
SIEF - Substance Information Exchange Forum
SME - Small and Medium sized Enterprises
STOT - Specific Target Organ Toxicity
(STOT) RE - Repeated Exposure
(STOT) SE - Single Exposure
SVHC - Substances of Very High Concern
UN - United Nations
vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data

MSDS, SpaBalancer Filter Clean, 28.9.2017, ver. 02

SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **SpaBalancer FilterClean Classic**

Creation date: **4.10.2019** · Revision: **6.11.2019** · Version: **1**

List of relevant H phrases

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.



- Provided correct labelling of the product
- Compliance with the local legislation
- Provided correct classification of the product
- Provided adequate transport data

© BENS Consulting | www.bens-consulting.com

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.